

Question # 10 of 10 (Start time: 11:57:38 PM, 03 July 2024)

Total Mark

Which of the following integrates feminist psychotherapy and knowledge of gender into a treatment approach for both women and men?

Select the correct option

Gender appraisal therapy



Gender sensitive therapy

Gender aware therapy

Gender assessment therapy

Click to Save Answer & Move to Next Question

Assume an intervention has been designed to reduce the amount and frequency of the consumption of alcohol or cigarette smoking. It targets a change in

Select the correct option

Biological Process

Thinking

Emotions

Behavior



Click to Save Answer & Move to Next Question

PSY401 - Clinical Psychology (Quiz 3)

Question # 9 of 10 (**Start time: 11:56:38 PM, 03 July 2024**)

A fear that will not conform to the standards of the conscience is known as:

Select the correct option



Reality anxiety



Generalized anxiety



Neurotic anxiety



Moral anxiety



Question # 7 of 10 (Start time: 11:54:45 PM, 03 July 2024)

Research evidence supports the contention that older clients have a poorer:

Select the correct option

<input type="radio"/>	Prognosis
<input type="radio"/>	Interaction
<input type="radio"/>	Assessment
<input type="radio"/>	Diagnosis





Denying the diagnostic significance of an occasion in the client's life because it has also happened to us is an example of

Select the correct option

Me-too fallacy



Multiple Napoleons fallacy

Uncle George's pancakes fallacy

Sick-sick fallacy

Click to Save Answer & Move to Next Question

Whenever psychologists purposefully try to produce change in the lives of others, they remain involved in which of the following?

Select the correct option

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | Research work |
| <input checked="" type="radio"/> | Intervention |
| <input type="radio"/> | Treatment |
| <input type="radio"/> | Therapies |

Click to Save Answer & Move to Next Question



11:51



vulms.vu.edu.pk/



41

Done

PSY401 - Clinical Psychology (Quiz 3)

Quiz Start Time: 11:47 PM, 03 July 2024

Question # 4 of 10 (Start time: 11:51:40 PM, 03 July 2024)

Total Mark

Which of the following refers to patient's intellectual and cognitive functioning (ideation, intelligence, memory, perception)?

Select the correct option

Intrapersonal level



Affective and mood levels

Cognitive level

Interpersonal level

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 11:49:45 PM, 03 July 2024)

Total 1

While writing a clinical report, name of patient, sex, age and ethnicity are included in which of the following?

Select the correct option

- | | |
|-----------------------|----------------------|
| <input type="radio"/> | Referral question |
| <input type="radio"/> | Background |
| <input type="radio"/> | Identifying question |
| <input type="radio"/> | Recommendations |
- 

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 11:50:22 PM, 03 July 2024)

Total Marks: 0

Which of the following disorder is the most common for which people seek help from a therapist?

Select the correct option

- Eating
- Schizophrenia
- Depression
- Personality

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 07:17:44 PM, 03 July 2024)

Total Marks: 1

Habits and behaviors of long standing that create problems for patient is example of which of the following therapeutic goals?

Select the correct option

Corrective emotional experience

Insight and change

Behavior change

Crisis management



Click to Show Answer & Move to Next Question

Question # 1 of 10 (Start time: 11:48:04 PM, 03 July 2024)

Total Marks

Which of the following is a planned activity of a psychologist in which he/she tries to change the individual's sick life into potentially happier or more constructive?

Select the correct option

- | | |
|-----------------------|-----------------|
| <input type="radio"/> | Psychopathology |
| <input type="radio"/> | Psychopathy |
| <input type="radio"/> | Psychotherapy |
| <input type="radio"/> | Psychosociology |
- 

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 07:14:47 PM, 03 July 2024)

Total Marks: 1

Which of the following is a planned activity of a psychologist in which he/she tries to change the individual's sick life into potentially happier or more constructive?

Select the correct option

- | | |
|-----------------------|-----------------|
| <input type="radio"/> | Psychotherapy |
| <input type="radio"/> | Psychopathology |
| <input type="radio"/> | Psychopathy |
| <input type="radio"/> | Psychosociology |
- 

[Click to Save Answer & Move to Next Question](#)

7:16

86%



Quiz
vulms.vu.edu.pk



Done

PSY401 - Clinical Psychology (Quiz 3)

Quiz Start Time: 06:56 PM, 03 July 2024

Question # 5 of 10 (Start time: 07:16:33 PM, 03 July 2024)

Total Mar

The process that describes how individuals organize or manipulate their environment from moment to moment is named as:

Select the correct option

- The figure-formation
- Holism
- Organismic self-regulation
- Field theory



Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 06:58:41 PM, 03 July 2024)

Total Marks: 1

Which of the following is the intentional application of psychological techniques for obtaining pre-determined changes?

Select the correct option

Psychopathology

Psycho-dynamism

Psychopharmacology

Psychotherapy



Click to Save Answer & Move to Next Question

Question # 3 of 10 (**Start time: 06:59:55 PM, 03 July 2024**)

Eros refers to kind of instincts is known as:

Select the correct option

<input type="radio"/>	Social instincts
<input checked="" type="radio"/>	Life instincts
<input type="radio"/>	Psychological instincts
<input type="radio"/>	Death instincts


Question # 1 of 10 (Start time: 06:58:50 PM, 03 July 2024)

Total Marks:

Sometimes clinicians tend to over interpret patient's symptoms and make predictions that emphasize the negative symptoms. This is known as:

Select the correct option

Scotopic sensitivity syndrome



The reading-in syndrome

Wien syndrome

Down syndrome

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 06:52:35 PM, 03 July 2024)

Total Marks: 1

Maria (a therapist) accepts her clients regardless of their personal characteristics and without evaluating them as good or bad. She is practicing:

Select the correct option



Existential therapy



Psychodynamic therapy



Gestalt therapy



Client centered therapy





Done

PSY401 - Clinical Psychology (Quiz 3)

Quiz Start Time: 06:40 PM, 03 July 2024

Question # 6 of 10 (Start time: 06:48:34 PM, 03 July 2024)

Total

In early years of psychoanalysis, hysteria was viewed as a "female" disorder, most often marked by all of the following EXCEPT:

Select the correct option



Paralysis



Blindness



Deafness



Muteness



Click to Save Answer & Move to Next Question



Question # 7 of 10 (Start time: 06:50:37 PM, 03 July 2024)

Psychotherapy requires which of the followings from patients?

Select the correct option

- A degree of introspection
- To frame their problems in words
- To establish connections among events
- All of the given options

Click to Save Answer & Move to



Question # 5 of 10 (Start time: 06:47:02 PM, 02 July 2024)

Total Marks: 1

Which of the following psychotherapy focuses on the connection between onset of clinical problems and current interpersonal problems (with friends, partners, and relatives)?

Select the correct option

- Psychoanalysis
- Family therapy
- Interpersonal psychotherapy
- Brief therapy

Click to Save Answer & Move to Next Question





Done

Question # 4 of 10 (Start time: 06:45:14 PM, 03 July 2024)

The range of brief therapy can be from one session to:

Select the correct option



40-50



30-40



20-30



50-60



Click to Save Answer





Done

Question # 3 of 10 (Start time: 06:43:29 PM, 03 July 2024)

Habits and behaviors of long standing that create problems for patient is example of which of the following therapeutic goal

Select the correct option

- Corrective emotional experience
- Insight and change
- Crisis management
- Behavior change



Click to Save Answer & Move





Done

PSY401 – Clinical Psychology (Quiz 3)

Question # 2 of 10 (Start time: 06:41:40 PM, 03 July 2024)

Which of the following disorder is the most common for which people seek help from a therapist?

Select the correct option

- Personality
- Depression 
- Schizophrenia
- Eating

Click to S





Done

PSY401 - Clinical Psychology (Quiz 3)

Quiz Start Time: 06:40 PM, 03 July 2024

Question # 1 of 10 (Start time: 06:40:08 PM, 03 July 2024)

Total Marks: 1

If a client is asked to close his/her eyes and with the guidance of the therapist he/she slowly imagines a scene of the past or future event, this technique is known as:

Select the correct option

- | | |
|----------------------------------|------------------------------|
| <input checked="" type="radio"/> | Guided Fantasy |
| <input type="radio"/> | Enactment and dramatization |
| <input type="radio"/> | Dream work |
| <input type="radio"/> | Awareness of self and others |
- 

Click to Save Answer & Move to Next Question



Which of the following psychotherapy focuses on the connection between onset of clinical problems and current interpersonal problems (with friends, partners, and relatives)?

Select the correct option



Brief therapy



Interpersonal psychotherapy



Psychoanalysis



Family therapy



Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 06:08:29 PM, 03 July 2024)

Total Marks: 1

Which of the following is a planned activity of a psychologist in which he/she tries to change the individual's sick life into potentially happier or more constructive?

Select the correct option

- | | |
|-----------------------|-----------------|
| <input type="radio"/> | Psychosociology |
| <input type="radio"/> | Psychopathy |
| <input type="radio"/> | Psychopathology |
| <input type="radio"/> | Psychotherapy |
- 

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 09:09:48 PM, 03 July 2024)

A principle in which we consider thoughts, feelings, behavior, body sensations and dreams as a whole is known as

Select the correct option

Holism



Alcoholism

Wholism

Analism

Click to Save Answer & Move

PSY401 - Clinical Psychology (Quiz 3)

Question # 7 of 10 (Start time: 06:08:16 PM, 03 July 2024)

Thanatos refers to which kind of instincts?

Select the correct option



Social instincts



Death instincts



Psychological instincts



Life instincts



Question # 6 of 10 (Start time: 06:06:40 PM, 03 July 2024)

Total Marks: 1

Assume an intervention has been designed to reduce the amount and frequency of the consumption of alcohol or cigarette smoking. It targets a change in:

Select the correct option

<input type="radio"/>	Behavior
<input type="radio"/>	Thinking
<input type="radio"/>	Emotions
<input type="radio"/>	Biological Process

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 10 (Start time: 06:01:05 PM, 03 July 2024)

Total Marks: 1

Danish, a clinician gathers assessment data from Ahmad who is a young school boy and concludes that he himself has experienced the same what Ahmad experienced. So his problem is not a big deal. This phenomenon is called

Select the correct option

Me-too fallacy



Multiple Napoleons fallacy

Sick-sick fallacy

Uncle George's pancakes fallacy

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 06:03:31 PM, 03 July 2024)

Total Marks: 1

If a client is asked to close his/her eyes and with the guidance of the therapist he/she slowly imagines a scene of the past or future event, this technique is known as:

Select the correct option

- | | |
|-----------------------|------------------------------|
| <input type="radio"/> | Guided Fantasy |
| <input type="radio"/> | Awareness of self and others |
| <input type="radio"/> | Enactment and dramatization |
| <input type="radio"/> | Dream work |



Click to Save Answer & Move to Next Question

PSY401 - Clinical Psychology (Quiz 3)

Question # 1 of 10 (Start time: 06:00:37 PM, 03 July 2024)

Who developed client centered therapy?

Select the correct option



Maslow



Carl Rogers



Carl Jung




PSY401 - Clinical Psychology (Quiz 3)

Question # 10 of 10 (Start time: 09:58:01 PM, 03 July 2024)

Which of the following refers to denying the diagnostic significance of an event in the patient's life because it has also happened to us?

Select the correct option

- Self-ratio fallacy
- Multiple comparisons fallacy
- Self-ratio fallacy
- Control Group's probability fallacy




PSY401 - Clinical Psychology (Quiz 3)

Question # 9 of 10 (**Start time: 05:57:00 PM, 03 July 2024**)

In the most general way, psychological intervention is a method of inducing changes in a person's

Select the correct option

- Behavior, thoughts or emotions
- Personality, thoughts or feelings
- Behavior, thoughts or feelings
- Behavior, emotions or feelings



PSY401 - Clinical Psychology (Quiz 3)

Question # 8 of 10 (Start time: 05:55:41 PM, 03 July 2024)

The situation in which a person expresses the feeling of hate to which he loves a lot is an example of which of the following defense mechanisms?

Select the correct option

- Projection
- Regression
- Reaction formation
- Repression



PSY401 - Clinical Psychology (Quiz 3)

Question # 6 of 10 (Start time: 05:53:43 PM, 03 July 2024)

The release of emotions is termed as:

Select the correct option

- | | |
|-----------------------|----------------------|
| <input type="radio"/> | Catharsis |
| <input type="radio"/> | Psychotherapy |
| <input type="radio"/> | Psychophysics |
| <input type="radio"/> | Therapeutic alliance |

PSY401 - Clinical Psychology (Quiz 3)

Question # 4 of 10 (Start time: 05:51:32 PM, 03 July 2024)

IPT is an abbreviation of:

Select the correct option

International Psychotherapy

Interrelation Psychotherapy

Interpersonal Psychotherapy

Interregional Psychotherapy



Type here to search




PSY401 - Clinical Psychology (Quiz 3)

Question # 5 of 10 (Start time: 05:52:50 PM, 03 July 2024)

Who introduced the term "client" in place of "patient"?

Select the correct option

- | | |
|-----------------------|---------------|
| <input type="radio"/> | Karen Horney |
| <input type="radio"/> | Carl Rogers |
| <input type="radio"/> | Alfred Adler |
| <input type="radio"/> | Erik Erickson |
- 

PSY401 - Clinical Psychology (Quiz 3)

Question # 3 of 10 (**Start time: 05:50:30 PM, 03 July 2024**)

Person-centered therapy is often employed with young children as:

Select the correct option

- Family therapy
- Couple therapy
- Group therapy
- Play therapy



Question # 10 of 10 (Start time: 04:08:44 PM, 03 July 2024)

Total Marks: 1

The ego-analytic approach tends to emphasize the importance of building the patient's trust through which of the followings in the therapy relationship?

Select the correct option

- 
- Extreme Care
 - Excessive love
 - Reparenting
 - Concern

[Click to Save Answer & Move to Next Question](#)

PSY401 - Clinical Psychology (Quiz 3)

Question # 8 of 10 (Start time: 04:05:19 PM, 03 July 2024)

Psychotherapy is not suitable for which of the following problem?

Select the correct option

Alcoholism

Schizophrenia

Behavioral problems

Obsessive-compulsive disorder



The typical length of Interpersonal psychotherapy is:

Select the correct option

- | | | |
|-----------------------|-------------|---|
| <input type="radio"/> | 15-16 weeks |  |
| <input type="radio"/> | 13-16 weeks | |
| <input type="radio"/> | 14-16 weeks | |
| <input type="radio"/> | 12-16 weeks | |

Question # 7 of 10 (**Start time: 04:04:15 PM, 03 July 2024**)

Psychotherapy requires which of the followings from patients?

Select the correct option



A degree of introspection



To establish connections among events



To frame their problems in words



All of the given options



Question # 6 of 10 (Start time: 04:03:17 PM, 03 July 2024)

Which of the following is not a part of free association?

Select the correct option

- | | |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | Role playing |
| <input type="radio"/> | Association |
| <input type="radio"/> | Catharsis |
| <input type="radio"/> | Resistance |

PSY401 - Clinical Psychology (Quiz 3)

Question # 3 of 10 (Start time: 03:58:21 PM, 03 July 2024)

If the clinician targets to change problematic behaviors that create problems for client, the goal is:

Select the correct option

<input type="radio"/>	Corrective emotional experience
<input type="radio"/>	Behavior change
<input type="radio"/>	Crisis management
<input type="radio"/>	Insight and change



Click to

Question # 4 of 10 (Start time: 04:00:08 PM, 03 July 2024)

Total Marks: 1

Incipient psychotic episode, poorly planned impulsive actions and explosive acting-out behavior are example problems to attain which goal of the followings?

Select the correct option

Crisis management



Corrective emotional experience

Insight and change

Behavior change

[Click to Save Answer & Move to Next Question](#)

PSY401 - Clinical Psychology (Quiz 3)

Question # 1 of 10 (Start time: 03:54:13 PM, 03 July 2024)

All of the followings are common elements of psychotherapy EXCEPT:

Select the correct option

<input type="radio"/>	Active listening
<input type="radio"/>	Release of emotions
<input type="radio"/>	Holism
<input type="radio"/>	Restoration of morale



PSY401 - Clinical Psychology (Quiz 3)

Question # 2 of 10 (Start time: 06:10:29 AM, 03 July 2024)

Which movement is derived from traditional psychoanalysis?

Select the correct option



Ego Analysis



Defense Analysis



Neurotic Analysis



Super Analysis



PSY401 - Clinical Psychology (Quiz 3)

Question # 1 of 10 (Start time: 03:54:13 PM, 03 July 2024)

All of the followings are common elements of psychotherapy EXCEPT:

Select the correct option

<input checked="" type="radio"/>	Active listening
<input type="radio"/>	Release of emotions
<input type="radio"/>	Holism
<input type="radio"/>	Restoration of morale

Question # 5 of 10 (Start time: 12:12:40 AM, 03 July 2024)

Total Marks :

Assume an intervention has been designed to reduce the emotional distress and increasing emotional comfort. It targets a change in:

Select the correct option

Emotions

Thinking

Biological processes

Behavior

[Click to Show Answer & Move to next Question](#)

Type here to search



100% 12:12:40 AM 03 July 2024

PSY401 - Clinical Psychology (Quiz 3)

Question # 10 of 10 (**Start time: 06:55:57 AM, 03 July 2024**)

Psychotherapy is regarded as a process of which of the followings?

Select the correct option

<input type="radio"/>	Detection
<input type="radio"/>	Concealment
<input type="radio"/>	Disguise
<input type="radio"/>	Discovery



Question # 9 of 10 (Start time: 06:54:52 AM, 03 July 2024)

Disorders related to which of the following may be missed in the course of psycho therapy?

Select the correct option

<input type="radio"/>	Alcoholic
<input type="radio"/>	Obsessive
<input checked="" type="radio"/>	Physical
<input type="radio"/>	Psychological


PSY401 - Clinical Psychology (Quiz 3)

Question # 8 of 10 (**Start time: 06:53:59 AM, 03 July 2024**)

Who developed client centered therapy?

Select the correct option

<input type="radio"/>	Carl Rogers
<input type="radio"/>	Carl Jung
<input type="radio"/>	Sigmund Freud
<input type="radio"/>	Maslow



Question # 6 of 10 (Start time: 06:17:05 AM, 03 July 2024)

Total Marks: 1

Which of the followings refers to the therapist's openness and genuineness, the willingness to relate to clients without hiding behind a professional façade?

Select the correct option.

Empathy

Reflection

Congruence

Positive regard



Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 06:47:45 AM, 03 July 2024)

To search the roots of behaviors psychodynamic approach to therapy focuses on which of the followings?

Select the correct option

- | | |
|-----------------------|--|
| <input type="radio"/> | Personal thinkings and beliefs |
| <input type="radio"/> | Learning from surroundings and environment |
| <input type="radio"/> | Unconscious motives and conflicts |
| <input type="radio"/> | Weak decision making and insight |
- 

[Click to Save Answer](#)

Question # 8 of 10 (Start time: 06:20:13 AM, 03 July 2024)

Total Marks: 1

To search the roots of behaviors psychodynamic approach to therapy focuses on which of the followings?

Select the correct option

Learning from surroundings and environment

Weak decision making and insight

Personal thinkings and beliefs

Unconscious motives and conflicts




Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 06:51:48 AM, 03 July 2024)

Which one of the following DOES NOT fall in the category of interpersonal-intrapersonal levels?

Select the correct option

- | | |
|-----------------------|---|
| <input type="radio"/> | Coping strategies |
| <input type="radio"/> | Impressions about cognitive and affective functioning |
| <input type="radio"/> | Formulation of personality |
| <input type="radio"/> | Primary conflicts |
- 

Click to See

Question # 4 of 10 (Start time: 06:48:53 AM, 03 July 2024)

Total

Which of the followings refers to the therapist's openness and genuineness, the willingness to relate to clients without hiding behind a professional façade?

Select the correct option

Congruence



Reflection

Empathy

Positive regard

Click to Save Answer & Move to Next Q

PSY401 - Clinical Psychology (Quiz 3)

Question # 7 of 10 (Start time: 06:52:53 AM, 03 July 2024)

Which of the following suggests that everything is related in flux and interrelated in process?

Select the correct option

- | | |
|----------------------------------|--------------------------|
| <input type="radio"/> | Field theory |
| <input checked="" type="radio"/> | Holism |
| <input type="radio"/> | Self-regulation |
| <input type="radio"/> | Figure formation process |

Click to 5

Question # 10 of 10 (Start time: 06:23:37 AM, 03 July 2024)

Total Marks: 1

Which of the following integrates feminist psychotherapy and knowledge of gender into a treatment approach for both women and men?

Select the correct option:



Gender sensitive therapy




Gender aware therapy



Gender appraisal therapy



Gender assessment therapy



Click to Show Answer & Move to Next Question

Question # 5 of 10 (Start time: 08:50:05 AM, 03 July 2024)

In the most general way, psychological intervention is a method of inducing changes in a person's:


Select the correct option

- | | |
|-----------------------|-----------------------------------|
| <input type="radio"/> | Behavior, thoughts or emotions |
| <input type="radio"/> | Personality, thoughts or feelings |
| <input type="radio"/> | Behavior, emotions or feelings |
| <input type="radio"/> | Behavior, thoughts or feelings |
- 

Question # 2 of 10 (Start time: 06:46:37 AM, 03 July 2024)

Which of the following DOES NOT help to improve the reliability and validity of clinical judgment?

Select the correct option

- | | |
|-----------------------|--|
| <input type="radio"/> | Use of structured interviews and rating scales |
| <input type="radio"/> | Level of confidence influencing prediction |
| <input type="radio"/> | Consideration of all available information |
| <input type="radio"/> | Consideration of base rates and regression effects |
- 

Click to Save

Time Left
sec(s)

PSY401 - Clinical Psychology (Quiz 3)

Quiz start Time: 06:09 AM, 03 July 2024

Question # 9 of 10 (start time: 06:21:25 AM, 03 July 2024)

Total Marks: 1

Sometimes clinicians tend to over interpret patient's symptoms and make predictions that emphasize the negative symptoms. This is known as:

Select the correct option

- Down syndrome
- Itten syndrome
- Scotopic sensitivity syndrome
- The reading-in syndrome



Click to Save Answer & Move to Next Question

Question # 7 of 10 (start time: 06:18:59 AM, 03 July 2024)

Total Marks: 1

Maria (a therapist) accepts her clients regardless of their personal characteristics and without evaluating them as good or bad. She is practicing:

Select the correct option

- Existential therapy
- Psychodynamic therapy
- Gestalt therapy
- Client centered therapy

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 06:44:37 AM, 03 July 2024)

Total Marks: 1

Dorish, a clinician gathers assessment data from Ahmad who is a young school boy and concludes that he himself has experienced the same what Ahmad experienced. So his problem is not a big deal. This phenomenon is called:

Select the correct option

- | | |
|-----------------------|---------------------------------|
| <input type="radio"/> | Me-too fallacy |
| <input type="radio"/> | Multiple Napoleons fallacy |
| <input type="radio"/> | Sick-sick fallacy |
| <input type="radio"/> | Uncle George's pancakes fallacy |
- 

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (Start time: 06:14:38 AM, 03 July 2024)

Total Marks: 1

Which of the following refers to denying the diagnostic significance of an event in the patient's life because it has also happened to us?

Select the correct option

sick-sick fallacy

Multiple Napoleons fallacy

Uncle George's pancakes fallacy

Me-too fallacy



Click to Save Answer & Move to Next Question

PSY401 - Clinical Psychology (Quiz 3)

Question # 4 of 10 (Start time: 06:13:10 AM, 03 July 2024)

The id component of personality operates on which of the following principle?

Select the correct option

Gratification principle

Pleasure principle



happiness principle

Satisfaction principle

Question # 1 of 10 (Start time: 06:59:03 AM, 03 July 2024)

Which of the following term is synonymous to the release of emotions during a psycho therapy?


Select the correct option



Reduction



Catharsis



Relaxation



Response

PSY401 - Clinical Psychology (Quiz 3)

Question # 3 of 10 (start time: 06:11:23 AM, 03 July 2024)

Psychotherapy is regarded as a process of which of the followings?

Select the correct option



Discovery



Disguise



Detection



Concealment





Done

Quiz x +
https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=f0ab40c0-6abc-4ade-904e-0a1d80d78c42

Question # 7 of 10 (Start time: 12:11:31 AM, 03 July 2024)

Which of the following movement was associated with person-centered therapy in the beginning of 1960s?

Select the correct option

- Human parallel
- Human potential
- Human partial
- Human political

Type here to search





Done

<http://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=e02d0ca7-e>

Question # 6 of 10 (Start time: 12:10:52 AM, 03 July 2024)

Which of the followings is not a synonymous to person-centered therapy?

Select the correct option

Rogerian therapy

Client-centered therapy

Non-directive therapy

Existential therapy



Type here to search





Done

Quiz <https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=14f19382-1ff8-4ea9-a84f-f4>

Question # 2 of 10 (Start time: 12:07:34 AM, 03 July 2024)

Which of the following factor refers to a change in clients' beliefs and attitudes?

Select the correct option

Behavior

Action

Learning

Supportive



Type here to search





Done

Quiz

<https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=6ab43a10-91ff-493f-bd2a-64a527145971>

Question # 3 of 10 (Start time: 12:08:35 AM, 03 July 2024)

Which of the following is not included in this process when the client's reason for coming to the clinician has been discussed?

Select the correct option

- Confidentiality
- Matter of fees
- Staff information
- Diagnosis





Done

Question # 1 of 10 (Start time: 12:06:42 AM, 03 July 2024)

All of the followings are common elements of psychotherapy EXCEPT:

Select the correct option

- Release of emotions
- Restoration of morale
- Holism
- Active listening



Question # 9 of 10 (Start time: 11:24:38 PM, 05 July 2024)

The major aim of a **clinical** report is particularly to address:

Select the correct option

<input type="radio"/>	Referral question
<input type="radio"/>	Assessment procedures
<input type="radio"/>	Interpersonal levels
<input type="radio"/>	Identifying question

Click to Save Answer



Question # 7 of 10 (Start time: 11:22:25 PM, 05 July 2024)

Positive relationship, trust and good rapport refers to which of the following factor ?

Select the correct option

<input type="radio"/>	Action factors
<input type="radio"/>	Supportive factors
<input type="radio"/>	Learning factors
<input type="radio"/>	Behavioral factors



Click to view Answer & Mark




Question # 5 of 10 (Start time: 11:19:31 PM, 05 July 2024)

Total Marks

Which of the following integrates feminist psychotherapy and knowledge of gender into a treatment approach for both women and men?

Select the correct option

Gender sensitive therapy



Gender aware therapy

Gender appraisal therapy

Gender assessment therapy



Question # 8 of 10 (Start time: 11:22:35 PM, 05 July 2024)

A fear that will not conform to the standards of the conscience is known as:


Select the correct option

- | | |
|----------------------------------|---------------------|
| <input type="radio"/> | Neurotic anxiety |
| <input type="radio"/> | Reality anxiety |
| <input checked="" type="radio"/> | Moral anxiety |
| <input type="radio"/> | Generalized anxiety |

Question # 1 of 10 (Start time: 11:13:51 PM, 05 July 2024)

Empathy, warmth and genuineness are the key features of :

Select the correct option

- | | |
|-----------------------|-------------------------|
| <input type="radio"/> | Psychoanalytic therapy |
| <input type="radio"/> | Cognitive therapy |
| <input type="radio"/> | client centered therapy |
| <input type="radio"/> | Behavioral therapy |
- 

Click to Solve

Question # 2 of 10 (Start time: 11:15:18 PM, 05 July 2024)

Which of the following disorder is the most common for which people seek help from a therapist?

Select the correct option

- Personality
- Eating
- Depression
- Schizophrenia

Click to Show Answer & Move to Next Q

Question # 3 of 10 (Start time: 11:16:51 PM, 05 July 2024)

Total Mark

Assume an intervention has been designed to reduce the amount and frequency of the consumption of alcohol or cigarette smoking. It targets a change in:

Select the correct option

- Thinking
- Behavior
- Emotions
- Biological Process

Click to Save Answer & Move to Next Question

01 July 2020
Which of the following is the first step in the serotonin synthesis pathway?

Select the correct option

- Tryptophan
- Hydroxylation
- Decarboxylation
- Decarboxylation/Decarboxylation



Type here to search




Question # 10 of 10 (Start time: 11:25:37 PM, 05 July 2024)

Total Marks:

The ego-analytic approach tends to emphasize the importance of building the patient's trust through which of the followings in the therapy relationship?

Select the correct option

- Excessive love
- Reparenting
- Extreme Care
- Concern



Click to Save Answer & Move to Next Question



PSY401 - Clinical Psychology (Quiz 3)

Question # 6 of 10 (Start time: 11:21:04 PM, 05 July 2024)

All of the followings are correct about psychotherapy EXCEPT:

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | Treatment methods are guided by theories |
| <input type="radio"/> | It is conducted by a licensed therapist |
| <input type="radio"/> | It works in the trustworthy working environment |
| <input type="radio"/> | It is advice giving or helping in an informal context |



Question # 4 of 10 (Start time: 11:18:10 PM, 05 July 2024)

In an IPT which of the followings includes a diagnostic evaluation and psychiatric history?

Select the correct option

- | | |
|-----------------------|---------|
| <input type="radio"/> | Phase 4 |
| <input type="radio"/> | Phase 3 |
| <input type="radio"/> | Phase 2 |
| <input type="radio"/> | Phase 1 |
- ✓

Click to Give Answer & Move




Question # 4 of 10 (Start time: 09:23:37 PM, 02 July 2024)

Which of the following focuses more on contemporary problems in living than on a massive examination and reinstatement of the past?


Select the correct option

- Conversion therapy
- Ego-analytic therapy
- Aversion therapy
- Cognitive behavioral therapy

Click to S



DELL





Question # 3 of 10 (Start time: 09:22:48 PM, 02 July 2024)

Increased self-esteem and greater openness to experience are two primary goals of:

Select the correct option

- Play therapy
- Person-centered therapy
- Logo therapy
- Interpersonal psychotherapy



**Question # 1 of 10 (Start time: 09:21:22 PM, 02 July 2024)**

Thanatos refers to which kind of instincts?

Select the correct option

- | | |
|----------------------------------|-------------------------|
| <input checked="" type="radio"/> | Death instincts |
| <input type="radio"/> | Psychological instincts |
| <input type="radio"/> | Social instincts |
| <input type="radio"/> | Life instincts |




DELL

Question # 2 of 10 (Start time: 09:21:54 PM, 02 July 2024)


The process that describes how individuals organize or manipulate their environment from moment to moment is named as:

Select the correct option

- Field theory
- Holism
- The figure-formation
- Organismic self-regulation



DELL



Question # 5 of 10 (Start time: 09:24:08 PM, 02 July 2024)

If a Pakistani citizen is anxious because of the bomb blasts that can happen anywhere in city. Which of the following anxiety best explains the situation?

Select the correct option

- Moral anxiety
- Neurotic anxiety
- Reality anxiety
- Ethical anxiety

Click to Save Answer & Move to Next Question




Question # 6 of 10 (Start time: 09:24:47 PM, 02 July 2024)


Schofield describes the psychotherapist's belief in the ideal patient as:

Select the correct option

- FAS syndrome
- YAVVI syndrome
- WAIS syndrome
- YAVIS syndrome



DELL




PSY401 - Clinical Psychology (Quiz 3)

Question # 10 of 10 (**Start time: 11:58:52 PM, 06 July 2024**)

Which psychotherapy is economically competitive?

Select the correct option

<input type="radio"/>	Logo therapy
<input type="radio"/>	Interpersonal psychotherapy
<input type="radio"/>	Brief psychotherapy
<input type="radio"/>	Play therapy



The id component of personality operates on which of the following principle?

Select the correct option



Satisfaction principle



Gratification principle



Pleasure principle



Happiness principle

The id component of personality operates on which of the following principle?

Select the correct option



Satisfaction principle



Gratification principle



Pleasure principle



Happiness principle



Question # 8 of 10 (start time: 11:56:58 PM, 06 July 2024)

Total Marks:

Which of the following is a planned activity of a psychologist in which he/she tries to change the individual's sick life into potentially happier or more constructive?

Select the correct option

- Psychopathology
- Psychotherapy
- Psychosociology
- Psychopathy

Question # 7 of 10 (Start time: 11:55:46 PM, 06 July 2024)

Which of the followings held that classical psychoanalysis overemphasized unconscious of ego processes?

Select the correct option

- | | |
|-----------------------|-----------------------------|
| <input type="radio"/> | The ego resistance movement |
| <input type="radio"/> | The ego stress movement |
| <input type="radio"/> | The ego analysis movement |
| <input type="radio"/> | The ego conflict movement |
- 

Question # 6 of 10 (**Start time: 11:54:57 PM, 06 July 2024**)

The major aim of a clinical report is particularly to address:

Select the correct option



Identifying question



Referral question



Assessment procedures



Interpersonal levels

SY401 - Clinical Psychology (Quiz 3)

Question # 5 of 10 (**Start time: 11:54:18 PM, 06 July 2024**)

Which technique asks a client to close eyes and imagine a scene of the past or future event?

Select the correct option

- | | | |
|-----------------------|------------------------------|---|
| <input type="radio"/> | Guided fantasy |  |
| <input type="radio"/> | Awareness of self and others | |
| <input type="radio"/> | Dream work | |
| <input type="radio"/> | Enactment and dramatization | |